



# AIRLESS JOINTING PLASTER

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Issue date: 12/13/2022 Revision date: 8/22/2023 Supersedes version of: 12/13/2022 Version: 2.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Trade name : AIRLESS JOINTING PLASTER  
Product code : EN-NEG-TT AIRJ-P  
Type of product : Paste  
Product group : Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : Professional use  
Use of the substance/mixture : Fillers, putties, plasters, modelling clay

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

##### Supplier

TOUPRET SA  
24 Rue du 14 juillet  
FR- 91813 Corbeil-Essonnes  
France  
T + 33 (0)1 69 47 20 20 - F + 33 (0)1 60 75 87 11  
[fdstoupret@toupret.fr](mailto:fdstoupret@toupret.fr) - <https://www.toupret.com/>

##### Subsidiary companies

TOUPRET UK LTD  
Capital Business Centre - Unit 58 22 Carlton Road  
UK- CR2 0BS South Croydon  
United Kingdom  
T +44 208 916 2134 - F +44 208 916 2136  
[fdstoupret@toupret.fr](mailto:fdstoupret@toupret.fr) - <https://www.toupret.co.uk/>

#### 1.4. Emergency telephone number

| Country        | Organisation/Company  | Address   | Emergency number | Comment                           |
|----------------|---|---|------------------|-----------------------------------|
| United Kingdom | National Poisons Information Service (Birmingham Centre)<br>City Hospital                         | Dudley Road<br>B18 7QH Birmingham                                   | 0344 892 0111    | Only for healthcare professionals |
| United Kingdom | National Poisons Information Service (Cardiff Centre)<br>University Hospital Llandough            | Penlan Road<br>CF64 2XX Cardiff                                     | 0344 892 0111    | Only for healthcare professionals |
| United Kingdom | National Poisons Information Service (Edinburgh Centre)<br>Royal Infirmary of Edinburgh           | Little France Crescent<br>EH16 4SA Edinburgh                        | 0344 892 0111    | Only for healthcare professionals |
| United Kingdom | Guy's & St Thomas' Poisons Unit<br>Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust     | Avonley Road<br>SE14 5ER London                                     | +44 20 7188 7188 |                                   |
| United Kingdom | National Poisons Information Service (Newcastle Centre)<br>Regional Drugs and Therapeutics Centre | 16/17 Framlington Place<br>Newcastle-upon-Tyne<br>NE2 4AB Newcastle | 0344 892 0111    | Only for healthcare professionals |
| United Kingdom | National Poisons Information Service (Belfast Centre)<br>Royal Victoria Hospital                  | Grosvenor Road<br>BT12 6BA Belfast                                  | 0344 892 0111    | Only for healthcare professionals |

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

# AIRLESS JOINTING PLASTER

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

## 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH208 - Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 2-methylisothiazol-3(2H)-one. May produce an allergic reaction.  
EUH210 - Safety data sheet available on request.

## 2.3. Other hazards

Other hazards which do not result in classification : Product dust may cause mechanical irritation to the skin and mucous membranes.

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Other information : Treated article (Biocide).  
Contains substance(s) listed on the Biocidal Products list (Regulation EU 528/2012 concerning the making available on the market and use of biocidal products).  
Preservatives for products during storage.

| Component                                |   |
|--|---|
| 2-methylisothiazol-3(2H)-one (2682-20-4) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII<br>This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

| Name   | Product identifier  | %                   | Classification according to Regulation (EC) No. 1272/2008 [CLP]  |
|--|---|---------------------|--|
| Limestone substance with national workplace exposure limit(s) (GB) | CAS-No.: 1317-65-3<br>EC-No.: 215-279-6   | ≥ 10 – < 20         | Not classified   |
| Mica substance with national workplace exposure limit(s) (GB)      | CAS-No.: 12001-26-2<br>EC-No.: 601-648-2  | ≥ 1 – < 5           | Not classified   |
| 1,2-benzisothiazol-3(2H)-one                                       | CAS-No.: 2634-33-5<br>EC-No.: 220-120-9<br>EC Index-No.: 613-088-00-6<br>REACH-no: 01-2120761540-60 | 0.042058 – 0.102058 | Acute Tox. 4 (Oral), H302<br>Skin Irrit. 2, H315<br>Eye Dam. 1, H318<br>Skin Sens. 1, H317<br>Aquatic Acute 1, H400<br>Aquatic Chronic 2, H411 |

# AIRLESS JOINTING PLASTER

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Name  | Product identifier   | %                  | Classification according to Regulation (EC) No. 1272/2008 [CLP]   |
|---|--|--------------------|---|
| 2-methylisothiazol-3(2H)-one  | CAS-No.: 2682-20-4<br>EC-No.: 220-239-6<br>EC Index-No.: 613-326-00-9  | 0.0009 –<br>0.0027 | Acute Tox. 3 (Oral), H301<br>Acute Tox. 3 (Dermal), H311<br>Acute Tox. 2 (Inhalation), H330<br>Skin Corr. 1B, H314<br>Eye Dam. 1, H318<br>Skin Sens. 1A, H317<br>Aquatic Acute 1, H400 (M=10)<br>Aquatic Chronic 1, H410          |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) | CAS-No.: 55965-84-9<br>EC-No.: 611-341-5<br>EC Index-No.: 613-167-00-5 | ≥ 0.00006258       | Acute Tox. 2 (Inhalation), H330<br>Acute Tox. 2 (Dermal), H310<br>Acute Tox. 3 (Oral), H301<br>Skin Corr. 1C, H314<br>Eye Dam. 1, H318<br>Skin Sens. 1A, H317<br>Aquatic Acute 1, H400 (M=100)<br>Aquatic Chronic 1, H410 (M=100) |

### Specific concentration limits:

| Name  | Product identifier  | Specific concentration limits  |
|---|---|--|
| 1,2-benzisothiazol-3(2H)-one  | CAS-No.: 2634-33-5<br>EC-No.: 220-120-9<br>EC Index-No.: 613-088-00-6<br>REACH-no: 01-2120761540-60 | ( 0.05 ≤C ≤ 100) Skin Sens. 1, H317  |
| 2-methylisothiazol-3(2H)-one  | CAS-No.: 2682-20-4<br>EC-No.: 220-239-6<br>EC Index-No.: 613-326-00-9                               | ( 0.0015 ≤C ≤ 100) Skin Sens. 1A, H317   |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) | CAS-No.: 55965-84-9<br>EC-No.: 611-341-5<br>EC Index-No.: 613-167-00-5                              | ( 0.0015 ≤C ≤ 100) Skin Sens. 1A, H317<br>( 0.06 ≤C < 0.6) Skin Irrit. 2, H315<br>( 0.06 ≤C < 0.6) Eye Irrit. 2, H319<br>( 0.6 ≤C ≤ 100) Skin Corr. 1C, H314<br>( 0.6 ≤C ≤ 100) Eye Dam. 1, H318 |

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

|                                       |  |
|---------------------------------------|--|
| First-aid measures after inhalation   | : Remove person to fresh air and keep comfortable for breathing.                                   |
| First-aid measures after skin contact | : Wash skin with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. |
| First-aid measures after eye contact  | : Rinse eyes with water as a precaution.   |
| First-aid measures after ingestion    | : Call a poison center or a doctor if you feel unwell.   |

### 4.2. Most important symptoms and effects, both acute and delayed

|                                     |   |
|-------------------------------------|---|
| Symptoms/effects                    | : Product dust may cause mechanical irritation to the skin and mucous membranes.          |
| Symptoms/effects after skin contact | : Repeated or prolonged contact may cause allergic reactions in very susceptible persons. |

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# AIRLESS JOINTING PLASTER

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.  
Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released. Carbon oxides (CO, CO<sub>2</sub>).

#### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Do not breathe dust.

##### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Clear up rapidly by scoop or vacuum. Do not use any water to clean up. Product forms slippery surface when combined with water.  
Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Do not breathe dust.  
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool. Protect from moisture.  
Incompatible materials : Acids.  
Storage temperature : 0 – 30 °C

#### 7.3. Specific end use(s)

No additional information available

# AIRLESS JOINTING PLASTER

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### 8.1.1 National occupational exposure and biological limit values

| Limestone (1317-65-3)                         |  |
|---|--|
| United Kingdom - Occupational Exposure Limits |  |
| Local name                                    | Calcium carbonate (Limestone, Marble)                                    |
| WEL TWA (OEL TWA) [1]                         | 10 mg/m <sup>3</sup> total inhalable<br>4 mg/m <sup>3</sup> respirable   |
| Regulatory reference                          | EH40/2005 (Fourth edition, 2020). HSE                                    |
| Mica (12001-26-2)                             |  |
| United Kingdom - Occupational Exposure Limits |  |
| Local name                                    | Mica   |
| WEL TWA (OEL TWA) [1]                         | 0.8 mg/m <sup>3</sup> respirable<br>10 mg/m <sup>3</sup> total inhalable |
| Regulatory reference                          | EH40/2005 (Fourth edition, 2020). HSE                                    |

##### 8.1.2. Recommended monitoring procedures

No additional information available

##### 8.1.3. Air contaminants formed

No additional information available

##### 8.1.4. DNEL and PNEC

No additional information available

##### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

##### 8.2.1. Appropriate engineering controls

###### Appropriate engineering controls:

Ensure good ventilation of the work station.

##### 8.2.2. Personal protection equipment

###### Personal protective equipment:

Gloves. In case of dust production: protective goggles. Dust production: dust mask with filter type P2.

###### Personal protective equipment symbol(s):



##### 8.2.2.1. Eye and face protection

###### Eye protection:

In case of dust production: protective goggles

##### 8.2.2.2. Skin protection

###### Skin and body protection:

Wear suitable protective clothing

###### Hand protection:

Protective gloves

# AIRLESS JOINTING PLASTER

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 8.2.2.3. Respiratory protection

#### Respiratory protection:

In order to avoid inhalation of dust, all sanding must be done wearing adequate respirator. dust mask P2

### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|   |                     |
|---|---------------------|
| Physical state                                  | : Liquid            |
| Colour  | : white.            |
| Appearance                                      | : Paste.            |
| Odour   | : faint.            |
| Odour threshold                                 | : Not available     |
| Melting point                                   | : Not available     |
| Freezing point                                  | : Not applicable    |
| Boiling point                                   | : Not available     |
| Flammability                                    | : Not applicable    |
| Explosive properties                            | : Not explosive.    |
| Oxidising properties                            | : Non oxidizing.    |
| Explosive limits                                | : Not applicable    |
| Lower explosive limit (LEL)                     | : Not available     |
| Upper explosive limit (UEL)                     | : Not available     |
| Flash point                                     | : Not applicable    |
| Auto-ignition temperature                       | : Not applicable    |
| Decomposition temperature                       | : Not available     |
| pH  | : 7.8 – 8.5 (20 °C) |
| Viscosity, kinematic                            | : Not applicable    |
| Solubility                                      | : Dispersible.      |
| Partition coefficient n-octanol/water (Log Kow) | : Not available     |
| Vapour pressure                                 | : Not available     |
| Vapour pressure at 50°C                         | : Not available     |
| Density   | : Not available     |
| Relative density                                | : 1.67 – 1.74       |
| Relative vapour density at 20°C                 | : Not available     |
| Particle size                                   | : Not applicable    |
| Particle size distribution                      | : Not applicable    |
| Particle shape                                  | : Not applicable    |
| Particle aspect ratio                           | : Not applicable    |
| Particle aggregation state                      | : Not applicable    |
| Particle agglomeration state                    | : Not applicable    |
| Particle specific surface area                  | : Not applicable    |
| Particle dustiness                              | : Not applicable    |

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

VOC content : < 0.01 %

# AIRLESS JOINTING PLASTER

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

#### 10.5. Incompatible materials

Acids.

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)  
Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)  
Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

#### 1,2-benzisothiazol-3(2H)-one (2634-33-5)

|                                   |  |
|-----------------------------------|--|
| LD50 oral                         | 300 – 2000 mg/kg   |
| Skin corrosion/irritation         | : Not classified (Based on available data, the classification criteria are not met)<br>pH: 7.8 – 8.5 (20 °C) |
| Additional information            | : Product dust may cause mechanical irritation to the skin and mucous membranes.                             |
| Serious eye damage/irritation     | : Not classified (Based on available data, the classification criteria are not met)<br>pH: 7.8 – 8.5 (20 °C) |
| Additional information            | : May cause slight temporary irritation to ocular mucous membranes   |
| Respiratory or skin sensitisation | : Not classified (Based on available data, the classification criteria are not met)                          |
| Additional information            | : Repeated or prolonged contact may cause allergic reactions in very susceptible persons                     |
| Germ cell mutagenicity            | : Not classified (Based on available data, the classification criteria are not met)                          |
| Carcinogenicity                   | : Not classified (Based on available data, the classification criteria are not met)                          |
| Reproductive toxicity             | : Not classified (Based on available data, the classification criteria are not met)                          |
| STOT-single exposure              | : Not classified (Based on available data, the classification criteria are not met)                          |
| Additional information            | : May be irritating to the mucous membranes and to the respiratory system                                    |
| STOT-repeated exposure            | : Not classified (Based on available data, the classification criteria are not met)                          |
| Aspiration hazard                 | : Not classified (Based on available data, the classification criteria are not met)                          |

#### AIRLESS JOINTING PLASTER

|                      |                |
|----------------------|----------------|
| Viscosity, kinematic | Not applicable |
|----------------------|----------------|

#### 11.2. Information on other hazards

No additional information available

# AIRLESS JOINTING PLASTER

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 12: Ecological information

#### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified (Based on available data, the classification criteria are not met)

Hazardous to the aquatic environment, long-term (chronic) : Not classified (Based on available data, the classification criteria are not met)

Not rapidly degradable

| 1,2-benzisothiazol-3(2H)-one (2634-33-5) |           |
|--|-----------|
| LC50 - Fish [1]                          | 1.6 mg/l  |
| EC50 - Crustacea [1]                     | 2.94 mg/l |

| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9) |           |
|--|-----------|
| LC50 - Fish [1]  | 14.8 mg/l |
| EC50 - Crustacea [1]   | 8 mg/l    |
| EC50 72h - Algae [1]   | 3.2 mg/l  |

| 2-methylisothiazol-3(2H)-one (2682-20-4) |           |
|--|-----------|
| LC50 - Fish [1]                          | 6 mg/l    |
| EC50 - Crustacea [1]                     | 1.68 mg/l |
| EC50 72h - Algae [1]                     | 0.15 mg/l |
| NOEC chronic fish                        | 2.38 mg/l |
| NOEC chronic crustacea                   | 0.55 mg/l |
| NOEC chronic algae                       | 0.03 mg/l |

#### 12.2. Persistence and degradability

| AIRLESS JOINTING PLASTER      |                  |
|-------------------------------|------------------|
| Persistence and degradability | Not established. |

| 1,2-benzisothiazol-3(2H)-one (2634-33-5) |                           |
|--|---------------------------|
| Persistence and degradability            | Product is biodegradable. |

#### 12.3. Bioaccumulative potential

| AIRLESS JOINTING PLASTER  |                  |
|---------------------------|------------------|
| Bioaccumulative potential | Not established. |

| 1,2-benzisothiazol-3(2H)-one (2634-33-5) |      |
|--|------|
| Bioconcentration factor (BCF REACH)      | 6.95 |

| 2-methylisothiazol-3(2H)-one (2682-20-4)        |        |
|---|--------|
| Bioconcentration factor (BCF REACH)             | 3.16   |
| Partition coefficient n-octanol/water (Log Kow) | ≤ 0.32 |

#### 12.4. Mobility in soil

No additional information available



# AIRLESS JOINTING PLASTER

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 12.5. Results of PBT and vPvB assessment

#### AIRLESS JOINTING PLASTER

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

#### Component

2-methylisothiazol-3(2H)-one (2682-20-4)

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII  
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

### 12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

### 12.7. Other adverse effects

Other adverse effects

: May cause pH changes in aqueous ecological systems

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

### 14.1. UN number or ID number

UN-No. (ADR) : Not applicable  
UN-No. (IMDG) : Not applicable  
UN-No. (IATA) : Not applicable  
UN-No. (ADN) : Not applicable  
UN-No. (RID) : Not applicable

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable  
Proper Shipping Name (IMDG) : Not applicable  
Proper Shipping Name (IATA) : Not applicable  
Proper Shipping Name (ADN) : Not applicable  
Proper Shipping Name (RID) : Not applicable

### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR) : Not applicable

#### IMDG

Transport hazard class(es) (IMDG) : Not applicable

#### IATA

Transport hazard class(es) (IATA) : Not applicable

#### ADN

Transport hazard class(es) (ADN) : Not applicable

# AIRLESS JOINTING PLASTER

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### RID

Transport hazard class(es) (RID) : Not applicable

### 14.4. Packing group

Packing group (ADR) : Not applicable  
Packing group (IMDG) : Not applicable  
Packing group (IATA) : Not applicable  
Packing group (ADN) : Not applicable  
Packing group (RID) : Not applicable

### 14.5. Environmental hazards

Dangerous for the environment : No  
Marine pollutant : No  
Other information : No supplementary information available

### 14.6. Special precautions for user

#### Overland transport

Not applicable

#### Transport by sea

Not applicable

#### Air transport

Not applicable

#### Inland waterway transport

Not applicable

#### Rail transport

Not applicable

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

Contains no substance(s) listed on the REACH Candidate List

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Contains substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

ANNEX II REPORTABLE EXPLOSIVES PRECURSORS

List of substances on their own or in mixtures or in substances for which suspicious transactions and significant disappearances and thefts are to be reported to the relevant national contact point within 24 hours.

| Name           | CAS-No.   | Combined Nomenclature code (CN) | Combined Nomenclature code for mixture without constituents which would determine classification under another CN code |
|----------------|-----------|---------------------------------|--|
| Sodium nitrate | 7631-99-4 | 3102 50 00                      | ex 3824 99 96  |

Please see [https://ec.europa.eu/home-affairs/system/files/2021-11/list\\_of\\_competent\\_authorities\\_and\\_national\\_contact\\_points\\_en.pdf](https://ec.europa.eu/home-affairs/system/files/2021-11/list_of_competent_authorities_and_national_contact_points_en.pdf)

VOC content : < 0.01 %

Other information, restriction and prohibition regulations : Directive 2004/42/EC on the limitation of emissions of volatile organic compounds. Regulation (EU) No 861/2010 related to Customs Nomenclature.

# AIRLESS JOINTING PLASTER

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

### Indication of changes:

This sheet was updated (refer to the date at the top of this page). This sheet has been revised completely (changes were not marked).

### Abbreviations and acronyms:

|        |   |
|--------|---|
| ADN    | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR    | European Agreement concerning the International Carriage of Dangerous Goods by Road             |
| EC50   | Median effective concentration  |
| LC50   | Median lethal concentration   |
| DNEL   | Derived-No Effect Level   |
| ED     | Endocrine disrupting properties   |
| ATE    | Acute Toxicity Estimate   |
| BCF    | Bioconcentration factor   |
| IATA   | International Air Transport Association   |
| IMDG   | International Maritime Dangerous Goods  |
| LD50   | Median lethal dose  |
| N.O.S. | Not Otherwise Specified   |
| OECD   | Organisation for Economic Co-operation and Development  |
| PBT    | Persistent Bioaccumulative Toxic  |
| PNEC   | Predicted No-Effect Concentration   |
| RID    | Regulations concerning the International Carriage of Dangerous Goods by Rail                    |
| OEL    | Occupational Exposure Limit   |
| vPvB   | Very Persistent and Very Bioaccumulative  |

Data sources

: ECHA (European Chemicals Agency). Supplier's safety documents.

### Full text of H- and EUH-statements:

|                           |   |
|---------------------------|---|
| Acute Tox. 2 (Dermal)     | Acute toxicity (dermal), Category 2   |
| Acute Tox. 2 (Inhalation) | Acute toxicity (inhal.), Category 2   |
| Acute Tox. 3 (Dermal)     | Acute toxicity (dermal), Category 3   |
| Acute Tox. 3 (Oral)       | Acute toxicity (oral), Category 3   |
| Acute Tox. 4 (Oral)       | Acute toxicity (oral), Category 4   |
| Aquatic Acute 1           | Hazardous to the aquatic environment – Acute Hazard, Category 1   |
| Aquatic Chronic 1         | Hazardous to the aquatic environment – Chronic Hazard, Category 1   |
| Aquatic Chronic 2         | Hazardous to the aquatic environment – Chronic Hazard, Category 2   |
| EUH208                    | Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 2-methylisothiazol-3(2H)-one. May produce an allergic reaction. |

# AIRLESS JOINTING PLASTER

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Full text of H- and EUH-statements: |  |
|-------------------------------------|--|
| EUH210                              | Safety data sheet available on request.                |
| Eye Dam. 1                          | Serious eye damage/eye irritation, Category 1          |
| Eye Irrit. 2                        | Serious eye damage/eye irritation, Category 2          |
| H301                                | Toxic if swallowed.                                    |
| H302                                | Harmful if swallowed.                                  |
| H310                                | Fatal in contact with skin.                            |
| H311                                | Toxic in contact with skin.                            |
| H314                                | Causes severe skin burns and eye damage.               |
| H315                                | Causes skin irritation.                                |
| H317                                | May cause an allergic skin reaction.                   |
| H318                                | Causes serious eye damage.                             |
| H319                                | Causes serious eye irritation.                         |
| H330                                | Fatal if inhaled.                                      |
| H400                                | Very toxic to aquatic life.                            |
| H410                                | Very toxic to aquatic life with long lasting effects.  |
| H411                                | Toxic to aquatic life with long lasting effects.       |
| Skin Corr. 1B                       | Skin corrosion/irritation, Category 1, Sub-Category 1B |
| Skin Corr. 1C                       | Skin corrosion/irritation, Category 1, Sub-Category 1C |
| Skin Irrit. 2                       | Skin corrosion/irritation, Category 2                  |
| Skin Sens. 1                        | Skin sensitisation, Category 1                         |
| Skin Sens. 1A                       | Skin sensitisation, category 1A                        |

fds eu toupret

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.